


DIN 315

WING NUTS



Teknik Bilgiler / Technical Informations		M4	M5	M6	M8	M10	M12	M16	M20	M24
Thread size / Anma çapı (d)		0,70	0,80	1,00	1,25	1,50	1,75	2,00	2,50	3,00
Pitch / Diş adımı	P									
Outside dia / Dış çap	d1	min.	6,00	8,00	10,00	13,00	17,00	20,00	26,00	32,00
		max.	8,00	11,00	13,00	16,00	20,00	23,00	29,00	35,00
Length / Uzunluk	e	min.	18,00	24,00	30,00	36,00	48,00	62,00	70,00	86,00
		max.	20,00	26,00	33,00	39,00	51,00	65,00	73,00	90,00
Thickness / Kalınlık	g	min.	1,10	1,50	1,50	2,00	4,40	4,90	6,40	6,90
		max.	1,90	2,30	2,30	2,80	3,60	4,10	5,60	6,10
Height / Yükseklik	h	min.	8,50	11,00	15,00	18,00	23,00	31,00	35,00	44,00
		max.	10,50	13,00	17,00	20,00	25,00	33,50	37,50	46,50
Weight / Ağırlık	gr/p	2,00	4,00	8,00	17,00	35,00	60,00	90,00	180,00	260,00

Thread size / Anma çapı (d)		1/4	5/16	3/8
Pitch / Diş adımı	P	20,00	18,00	16,00
Outside dia / Dış çap	d2	10,50	11,90	15,30
Length / Uzunluk	e	25,00	26,80	35,30
Thickness / Kalınlık	g	3,00	3,00	4,00
Height / Yükseklik	h	12,20	12,90	17,30
Weight / Ağırlık	gr/p	8,00	17,00	35,00

Metric DIN 315 wing nuts have two rounded wing like projections. This unique design makes it possible to use your thumb and forefinger to turn and tighten the nut rather than a having to use a wrench or other tool thus ensuring easy rapid assembly and disassembly using only fingers. DIN 315 wing nuts can be used for many applications where quick hand tensioning and clamping is required.